

FW: Attached Image

From Margaret Sandercock <mbs@goodfarblaw.com>

To Edward Olmsted<olmsted.mac@mac.com>

CC christiangray3@protonmail.com

Date Wednesday, August 11th, 2021 at 11:17 AM

Please note schedule in below email. I know you are away. Can you, or someone else, inspect within 5 days?

From: David Skaller <DSkaller@BBGLLP.COM>

Date: Wednesday, August 11, 2021 at 10:48 AM

To: Margaret Sandercock <mbs@goodfarblaw.com>, Elizabeth Sandercock <es@goodfarblaw.com>

Subject: FW: Attached Image

Attached is the ALC report with regard to the Gray apartment. Pursuant to the terms of the stipulation of settlement, Ed Olmstead has 5 days to inspect and test and you have 14 days from when he inspects to provide me with his report. Please let me know when he inspects.

From: Canon Printer <CanonP@belkinburden.onmicrosoft.com>

Sent: Wednesday, August 11, 2021 10:37 AM

To: David Skaller <DSkaller@BBGLLP.COM>

Subject: Attached Image

This message contains information which may be confidential and privileged. Unless you are the addressee (or authorized to receive for the addressee), you may not use, copy, or disclose to anyone the message or any information contained in the message. If you have received the message in error, please advise the sender by reply e-mail or reply to info@bbgllp.com, and delete the message.

CONFIDENTIALITY: The information contained in this e-mail message is intended only for the designated recipient. The message may be an attorney/client communication, and if so, is privileged and confidential. If

the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you have received this e-mail in error. If you have received this e-mail in error, please call Goodfarb & Sandercock, LLP at (914) 428-3400 to advise us of the same, delete the original message from your system and then confirm its deletion. Any review, dissemination, distribution or copying of this message is strictly prohibited. Thank you.

1.24 MB 1 file attached

3444_001.pdf 1.24 MB